



1744

Docket No. 0010

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

: **OFFICIAL DRAFTSMAN**

Wilson BURGESS, William N. DROHAN,
Martin J. MACPHEE, and David M. MANN

Serial No.: 09/960,700

: Group Art Unit: 1744

Confirm. No.: 4269

Filed: September 24, 2001

For: METHODS OF STERILIZING BIOLOGICAL MIXTURES USING
STABILIZER MIXTURES

LETTER SUBMITTING FORMAL DRAWINGS

Assistant Commissioner for Patents
Washington, D. C. 20231

Sir:

RECEIVED
AUG 02 2002
TC 1700

Submitted herewith are eight (8) sheets of formal drawings (Figures 1A-6) in connection
with the above-identified application.

Respectfully submitted,
FLESHNER & KIM, LLP

Donald R. McPhail
Registration No. 35,811
Timothy M. Speer
Registration No. 47,355

P. O. Box 221200
Chantilly, VA 20153-1200
703 502-9440

Date: July 30, 2002

DRM/TMS:dep



1/8

RECEIVED
AUG 02 2002
TC 1700

Gamma Irradiation of Liquid IGIV in the Absence
or Presence of Ascorbate Alone or in Addition to Gly-Gly




FIG. 1A



2/8

RECEIVED
AUG 02 2002
TC 1700

Gamma Irradiation of Liquid IGIV in the Absence or
Presence of Ascorbate Alone or in Addition to Gly-Gly




FIG. 1B



RECEIVED
AUG 02 2002
TC 1700
Ascorbate Ascorbate
and
Gly-Gly

Gamma Irradiation of a Glycosidase In the Presence of Ascorbate and Gly-Gly




FIG. 2A

OIPE
 JUL 30 2002
 PATENT & TRADEMARK OFFICE

4/8

RECEIVED
 AUG 02 2002
 TC 1700

Gamma Irradiation of a Sulfatase
 In the Presence of Ascorbate and Gly-Gly

Reduced




FIG. 2B



5/8

RECEIVED
AUG 02 2002
TC 1700

Gamma Irradiation of a Galactosidase In the Presence or Absence of Ascorbate
Alone or in Combination with Gly-Gly




FIG. 3



6/8

Gamma Irradiation of Immobilized Anti-Insulin Monoclonal Antibody with Varying Ascorbate Concentrations in the Presence or Absence of 1.5mM Uric Acid




FIG. 4

RECEIVED
AUG 02 2002
TC 1700



7/8

Gamma Irradiation of Immobilized Anti-Insulin Monoclonal Antibody with Varying
Ascorbate Concentrations in the Presence
or Absence of 2.25mM Uric Acid




FIG. 5

RECEIVED
AUG 02 2002
TC 1700



RECEIVED
AUG 02 2002
TC 1/60

Gamma Irradiation of a Lyophilized Galactosidase In the Presence of 200mM Ascorbate and 200mM Gly-Gly




FIG. 6